

## Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard ( 29CFR 1910.1200)

**Product name** CHEMGUARD 3% AFFF C306-MS-C

### 1. Identification

#### 1.1. Product Identifier

**Product name** CHEMGUARD 3% AFFF C306-MS-C

#### 1.2. Other means of identification

**Product code** 770810  
**Synonyms** None  
**Chemical Family** No information available

#### 1.3. Recommended use of the chemical and restrictions on use

**Recommended use** Fire extinguishing agent.  
**Uses advised against** Consumer use.

#### 1.4. Details of the Supplier of the Safety Data Sheet

**Company Name** Tyco Fire Protection Products  
One Stanton Street  
Marinette, WI 54143-2542  
Telephone: 715-735-7411  
**Contact point** Product Stewardship at 1-715-735-7411  
**E-mail address** psra@tycofp.com

#### 1.5. Emergency Telephone Number

**Emergency telephone** CHEMTREC 800-424-9300 or 703-527-3887

### 2. Hazards Identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation - Category 1  
Skin Sensitization - Category 1B

#### 2.2. Label Elements

**Signal Word**  
DANGER

#### Hazard Statements

Causes serious eye damage  
May cause an allergic skin reaction



#### Precautionary Statements

**Prevention**

Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**Disposal**

Dispose of contents/container to an approved waste disposal plant.

**2.3. Hazards Not Otherwise Classified (HNOC)**

Not Applicable.

**2.4. Other Information**

Unknown Acute Toxicity 28.333% of the mixture consists of ingredient(s) of unknown toxicity

**3. Composition/information on Ingredients****3.1. Mixture**

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	10 - 30
Laurylamidopropyl betaine	4292-10-8	1 - 5
Caprylcaprylyl glucoside	68515-73-1	1 - 5
Polyfluorinated alkyl polyamide	Proprietary	1 - 5
Octylphenoxy polyethoxyethanol	9036-19-5	1 - 5
Polyfluorinated alkyl quaternary amine chloride	Proprietary	0.1 - 1

**4. First aid measures****4.1. Description of first aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.)
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately.

**4.2. Most Important Symptoms and Effects, Both Acute and Delayed**

**Symptoms** No information available.

**4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed**

**Note to physicians** Treat symptomatically.

**5. Fire-fighting measures**

**5.1. Suitable Extinguishing Media**

Product is extinguishing agent. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**5.2. Unsuitable Extinguishing Media**

None.

**5.3. Specific Hazards Arising from the Chemical**

None known.

**Hazardous Combustion Products**

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

**5.4. Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**5.5. Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Use personal protection recommended in Section 8.

**6.2. Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

**6.3. Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.

**7. Handling and Storage****7.1. Precautions for Safe Handling**

**Advice on safe handling** Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** Strong oxidizing agents. Strong acids. Strong bases.

**8. Exposure Controls/Personal Protection****8.1. Control Parameters****Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
2-(2-Butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-	-

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

**8.2. Appropriate Engineering Controls**

Engineering controls	Showers Eyewash stations Ventilation systems.
----------------------	---

**8.3. Individual protection measures, such as personal protective equipment**

Eye/Face Protection	Avoid contact with eyes. Tight sealing safety goggles.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Ventilation	Use local exhaust or general dilution ventilation to control exposure with applicable limits

**8.4. General hygiene considerations**

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

**9. Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

Physical State	Liquid	Color	Light yellow
Odor	Characteristic		
Odor Threshold	No data available		

Property	Values	Remarks • Method
pH	7- 8.5	
Melting point/freezing point	No data available	
Boiling point / boiling range	No data available	
Flash Point	No data available	
Evaporation Rate	No data available	
Flammability (solid, gas)	No data available	
Flammability limit in air		
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Specific gravity	No data available	
Water Solubility	No data available	
Solubility in Other Solvents	No data available	

Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Kinematic viscosity	No data available

Density 1.02

## 10. Stability and Reactivity

### 10.1. Chemical Stability

Stable under recommended storage conditions.

### 10.2. Reactivity

No data available

### 10.3. Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

### 10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

## 11. Toxicological Information

### 11.1. Information on Likely Routes of Exposure

#### Product information

<b>Inhalation</b>	No data available.
<b>Eye Contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	May cause allergic skin reaction.
<b>Ingestion</b>	No data available.

#### Component Information

##### Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-Butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Laurylamidopropyl betaine 4292-10-8	> 2000 mg/kg ( Rat )	-	-
Polyfluorinated alkyl polyamide	>2000 mg/kg	>2000 mg/kg	>5.11 mg/l
Octylphenoxyethoxyethanol	= 1700 mg/kg ( Rat ) = 4190 mg/kg	-	-

9036-19-5	( Rat )		
Polyfluorinated alkyl quaternary amine chloride	>300 - <2000 mg/kg	-	-

**11.2. Information on Toxicological Effects**

**Symptoms** No information available.

**11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin Corrosion/Irritation** No information available.  
**Serious eye damage/eye irritation** Risk of serious damage to eyes.  
**Sensitization** May cause sensitization by skin contact.  
**Germ Cell Mutagenicity** No information available.  
**Carcinogenicity** No information available.  
**Reproductive Toxicity** No information available.  
**STOT - Single Exposure** No information available.  
**STOT - Repeated Exposure** No information available.  
**Aspiration Hazard** No information available.

**11.4. Numerical Measures of Toxicity - Product information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 11648 mg/kg  
**ATEmix (dermal)** 12061 mg/kg  
**ATEmix (inhalation-dust/mist)** 223.9 mg/l

**12. Ecological Information****12.1. Ecotoxicity**

0.1011% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 (96h) > 100 mg/L Desmodesmus subspicatus	LC50 (96h) static = 1300 mg/L Lepomis macrochirus	EC50 (48h) > 100 mg/L Daphnia magna EC50 (24h) = 2850 mg/L Daphnia magna
2-Methyl-2,4-pentanediol 107-41-5	-	LC50 (96h) flow-through = 8690 mg/L Pimephales promelas LC50 (96h) flow-through 10500 - 11000 mg/L Pimephales promelas LC50 (96h) static = 10000 mg/L Lepomis macrochirus LC50 (96h) static = 10700 mg/L Pimephales promelas	EC50 (48h) 2700 - 3700 mg/L Daphnia magna
t-Butanol 75-65-0	EC50 (72h) > 1000 mg/L Desmodesmus subspicatus	LC50 (96h) flow-through 6130 - 6700 mg/L Pimephales promelas	EC50 (48h) Static 4607 - 6577 mg/L Daphnia magna EC50 (48h) = 933 mg/L Daphnia magna
Polyethylene Glycol 25322-68-3	-	LC50 (24h) > 5000 mg/L Carassius auratus	-
Sodium chloride 7647-14-5	-	LC50 (96h) semi-static = 7050 mg/L Pimephales promelas LC50 (96h) flow-through 4747 - 7824 mg/L Oncorhynchus mykiss LC50 (96h) static = 12946 mg/L Lepomis macrochirus LC50 (96h) static 6020 - 7070 mg/L Pimephales promelas LC50 (96h) flow-through 5560 - 6080 mg/L Lepomis macrochirus LC50 (96h) static 6420 - 6700 mg/L Pimephales promelas	EC50 (48h) Static 340.7 - 469.2 mg/L Daphnia magna EC50 (48h) = 1000 mg/L Daphnia magna
4,4'-bis-(sulfostyryl)-biphenyl disodium salt	EC50 (72h) = 10 mg/L Desmodesmus subspicatus EC50	LC50 (96h) static = 76 mg/L Brachydanio rerio	EC50 (48h) = 1000 mg/L Daphnia magna

27344-41-8	(96h) 10.0 - 11.0 mg/L Desmodemus subspicatus		
------------	--	--	--

Polyfluorinated alkyl polyamide					
Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LC50	>14 mg/l	96h	NOEC: 14 mg/L No toxic effects at saturation.
OECD Test No. 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test	Algae	ErC50	>15 mg/l	72h	Growth rate >15, Yield 13. NOEC: 4.0 mg/L, LOEC: 8.5 mg/L
OECD Test No. 202: Daphnia sp., Acute Immobilization Test	Daphnia magna	EC50	>20 mg/l	48h	NOEC: 20 mg/L No toxic effects at saturation.

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulation

No information available.

### 12.4. Other Adverse Effects

No information available

## 13. Disposal Considerations

### 13.1. Waste Treatment Methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Do not reuse container.

## 14. Transport Information

**DOT** NOT REGULATED

**TDG** NOT REGULATED

**MEX** NOT REGULATED

**ICAO (air)** NOT REGULATED

**IATA** NOT REGULATED

**IMDG** NOT REGULATED

## 15. Regulatory Information

### 15.1. International Inventories

**TSCA** Complies  
**DSL/NDSL** Does not comply

<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**15.2. US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic health hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**15.3. US State Regulations****U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X

**16. Other information, including date of preparation of the last revision**

<b>NFPA</b>	Health Hazards 2	Flammability 0	Instability 0	Physical and chemical properties -
<b>HMIS</b>	Health Hazards 2	Flammability 0	Physical Hazards 0	Personal Protection X



Revision date 10-Apr-2017

Revision note SDS sections updated, 2, 11, 12.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet