



READY TO RESPOND:
DISASTER PREPAREDNESS GEAR



DISASTER ESSENTIALS FROM PELICAN

Get rapid deployment to any emergency. From field hospital med chests, portable field desks to foot lockers, your emergency command center will be up and running in minutes.

SPECIALTY PRODUCT APPLICATIONS:

- Field Desks for emergency centers in field hospitals and check-in points
- Foot Lockers and Trunk Lockers store and transport bedding, blankets, clothes, food, water, first aid supplies, radios
- Medical Chests store various items, from small tools to medical supplies for field hospitals



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chairs can be folded and stored in the lids in seconds (included)
- Two Power Strips - 6 Plugs Per Power Strip (included)

472 FLD DESK DD



- Four large drawers protect all medical gear
- Customizable divider system and wheels

472 MEDCHEST 3 4D



- Lightweight housing protects two "D" 95 GL tanks
- Molded-in handles and ribs make for easy lifting and secure stacking

472 TANKM-D-2



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chair can be folded and stored in lid in seconds (included)

472 FLD DESK TA



- 8 multi-sized drawers protect all medical gear
- Customizable divider system and wheels
- One Lockable Drawer
- Chemical Agent Decontaminatable

472 MEDCHEST 3 8D



- 13.6ft³ (0.39m³) of space
- Four comfort grip handles
- Case is stackable
- Optional 2 inch (5.08cm) foam lining

472 463L MM24



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

472 FTLK 1



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

472 FTLK LG



- Carrying/lifting ledges for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

iMTRLK TRUNK LOCKER

SAFE AND SILENT EMERGENCY LIGHTING

Remote Area Lighting Systems (RALS) provide battery powered lighting that are portable and lightweight, providing increased performance and safer working conditions. Now you can leave noisy and heavy generators in the past.

Get more than a flashlight. Safety certified lights will keep you safe and moving through hazardous areas. Also, smart features like articulating light heads, battery indicators and Downcast LED Technology, keep you ready for any emergency.

RALS

APPLICATIONS:

- Field hospitals
- Command centers
- Clean-up operations
- Walkways and perimeter lighting
- Security checkpoints

FLASHLIGHT

APPLICATIONS:

- Distress signal
- Search and rescue operations
- Access disoriented victims
- Emergency preparedness kit



- ROHS AND CE COMPLIANT
- BATTERIES: SEALED LEAD ACID



LUMENS
3000
RUN TIME
15h
UP TO



9430 RALS

- BATTERIES: LITHIUM-ION



LUMENS
5300
RUN TIME
8h
UP TO



9440 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS
12000
RUN TIME
24h
UP TO



9460 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS
24000
RUN TIME
24h
UP TO



9470 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS
4000
RUN TIME
28h
UP TO



9480 RALS

- INPUT VOLTAGE: 110-240V

LUMENS
6000
UP TO




MODE: WHITE LIGHT / RED LIGHT VISION

9500 SHELTER LIGHTING

- CONNECT MULTIPLE LIGHT HEADS FROM ONE POWER SOURCE
- INPUT VOLTAGE: 110-240V

LUMENS
3000
UP TO



9600 RALS

- DUAL BEAMS INCLUDING DOWNCAST LED TECHNOLOGY
- BATTERIES: 4 AA Alkaline (Included)

SAFETY CERTIFIED
LUMENS
215
RUN TIME
98h
UP TO



2785 HEADLAMP

- COMPACT LED POWER
- BATTERIES: 3 AA BATTERIES (INCLUDED)

SAFETY CERTIFIED
LUMENS
160
RUN TIME
19h
UP TO



3315 FLASHLIGHT

- "GLOW IN THE DARK"
- ARTICULATING LIGHT HEAD
- BODY BATTERIES: 3 AA ALKALINE (NOT INCLUDED)

SAFETY CERTIFIED
LUMENS
653
RUN TIME
61h
UP TO



3410 RIGHT ANGLE LIGHT

- LIGHTWEIGHT/ HIGH PERFORMANCE
- BATTERIES: NIMH (INCLUDED)

SAFETY CERTIFIED
LUMENS
588
RUN TIME
11h 30min
UP TO



9415 FLASHLIGHT

SECURE TRANSPORT AND STORAGE
OF PERSONAL PROTECTIVE
EQUIPMENT AND DISASTER SUPPLIES

Watertight, crush proof and trusted by the military, fire and law enforcement industries for over 40 years, our cases are proven to stand up to any test our customers endure. From micro to x-large protector size options, you'll always find the right fit.

CASE APPLICATIONS:

- Medical Testing Kits
 - Personal protective equipment
 - Transport communication equipment
 - Clothing
 - Automated external defibrillator
- First aid kits
 - First aid supplies
 - Search & Rescue operations
 - Oxygen tanks
 - Regulators



PELICAN™ PROTECTOR CASE™		
CASE CAT. NO	INTERIOR DIMENSIONS INCHES (CM)	EXTERIOR DIMENSIONS INCHES (CM)
1150	8.29" x 5.79" x 3.75" (21.1 x 14.7 x 9.5 cm)	9.44" x 7.80" x 4.29" (24 x 19.8 x 10.9 cm)
1170	10.54" x 6.04" x 3.16" (26.8 x 15.3 x 8 cm)	11.64" x 8.34" x 3.78" (29.6 x 21.2 x 9.6 cm)
1200	9.25" x 7.12" x 4.12" (23.5 x 18.1 x 10.5 cm)	10.62" x 9.68" x 4.87" (27 x 24.6 x 12.4 cm)
1400	11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)	13.37" x 11.62" x 6.00" (34 x 29.5 x 15.2 cm)
1450	14.66" x 10.24" x 6.12" (37.2 x 26 x 15.5 cm)	16.44" x 13.00" x 6.82" (41.8 x 33 x 17.3 cm)
1460	18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)	20.85" x 12.73" x 12.75" (53 x 32.3 x 32.4 cm)
1500 / 1500EMS	16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)	18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)
1510	19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)	22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)
1520	18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)	19.78" x 15.77" x 7.41" (50.2 x 40.1 x 18.8 cm)
1550 / 1550EMS	18.63" x 14.18" x 7.72" (47.3 x 36 x 19.6 cm)	20.66" x 17.20" x 8.40" (52.5 x 43.7 x 21.3 cm)
1560	19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)	22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)
1600	21.51" x 16.54" x 7.99" (54.6 x 42 x 20.3 cm)	24.39" x 19.36" x 8.79" (62 x 49.2 x 22.3 cm)
1610	21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)	24.83" x 19.69" x 11.88" (63.1 x 50 x 30.2 cm)
1620	21.48" x 16.42" x 12.54" (54.6 x 41.7 x 31.9 cm)	24.76" x 19.57" x 13.90" (62.9 x 49.7 x 35.3 cm)
1630	27.70" x 20.98" x 15.50" (70.4 x 53.3 x 39.4 cm)	31.28" x 24.21" x 17.48" (79.5 x 61.5 x 44.4 cm)
1640	23.70" x 24.00" x 13.90" (60.2 x 61 x 35.3 cm)	27.20" x 27.50" x 16.30" (69.1 x 69.9 x 41.4 cm)
1660	28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)	31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)
1465EMS	18.62" x 9.99" x 10.93" (47.3 x 25.4 x 27.8 cm)	20.83" x 12.62" x 12.75" (52.9 x 32.1 x 32.4 cm)

PELICAN™ MICRO CASES		
CASE CAT. NO	INTERIOR DIMENSIONS INCHES (CM)	EXTERIOR DIMENSIONS INCHES (CM)
1010	4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)
1015	5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)
1020	5.31" x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)	6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)
1030	6.37" x 2.62" x 2.06" (16.2 x 6.7 x 5.2 cm)	7.50" x 3.87" x 2.43" (19.1 x 9.8 x 6.2 cm)
1040	6.50" x 3.87" x 1.75" (16.5 x 9.8 x 4.4 cm)	7.50" x 5.06" x 2.12" (19.1 x 12.9 x 5.4 cm)
1050	6.31" x 3.68" x 2.75" (16 x 9.3 x 7 cm)	7.99" x 5.06" x 3.12" (20.3 x 12.9 x 7.9 cm)
1060	8.25" x 4.25" x 2.25" (21 x 10.8 x 5.7 cm)	9.88" x 5.59" x 2.63" (25.1 x 14.2 x 6.7 cm)

EMS CASES



1500EMS

- Multi layer lid organizer with numerous clean pockets - find everything right away
- Lid organizer clear cover with VELCRO® brand fasteners - keeps supplies in place during transport



1550EMS

- Padded dividers with adjustable walls for customizing compartments to any size



- Removable trays are easy to wipe down to keep sanitized
- Three tier customizable pullout trays give you the flexibility to organize



1465EMS AIR

- Storage bracket keeps used and sharp objects contained. (*Sharps container not included).

U.S.A.		INTERNATIONAL	
CALIFORNIA 23215 Early Avenue Torrance, CA 90505 Tel: 310.326.4700 800.473.5422 Fax: 310.326.3311 www.pelican.com	MASSACHUSETTS 147 North Main Street South Deerfield, MA 01373 Tel: 800.542.7344 Fax: 413.665.8330 www.pelican.com	EUROPE, MIDDLE EAST AND AFRICA Peli Products, S.L.U. c/ Provença, 388, Planta 7 Barcelona, Spain, 08025 Tel: +34.934.674.999 Fax: +34.934.877.393 www.peli.com	JAPAN Pelican Products K.K. Nisso 22 Bldg 9F 1-11-10 Azabu Dai Minato ward Tokyo Japan 106-0041 Tel: +81.33.585.9100 Fax: +81.33.585.9109 www.pelican.com/jp
CANADA Pelican Products ULC 10221-184th Street Edmonton, Alberta T5S 2J4, Canada Tel: +780.481.6076 Fax: +780.481.9586 www.pelican.ca	AUSTRALIA Pelican Products Pty Ltd West Wing, Platinum Building, Suite 2.33 4 Ilya Av Erina NSW 2250 Tel: +612.4367.7022 Fax: +612.4367.7066 www.pelicanaustralia.com	CHINA Pelican Products China Representative Office Pine City Building, Room 1026 777 Zhaojiabang Road Shanghai, China 200032 Tel: +86.21.64189685 Fax: +86.21.64189679 www.pelican.com/cn	KOREA Pelican Products Korea Ltd #909 Hyundai 41 Tower, #2616 917-9, Mok-dong, Yangchon-gu, Seoul, Korea 158-050 Tel: +82.2.6092.4700 Fax: +82.2.6739.4700 www.pelican.com/ko
INDIA and SOUTH ASIA (Bangladesh, Bhutan, Maldives, Nepal, Sri Lanka) Pelican Products and Services India Pvt. Ltd, GF 9&10, Augusta Point Sector-53, Golf Course Road Haryana, Gurgaon 122002, India Tel: +91.124.4377227 Fax: +91.124.4049227 www.pelican.com	SE ASIA and rest of ASIA (Hong Kong, Macau, Taiwan, Pakistan) No.777, Pine City Building ZhaoJiaBang Road #10-26 XuHui District Shanghai, China 200032 Phone: +86.21.64189685 Fax: +86.21.64189679 www.pelican.com		
		LATIN AMERICA 23215 Early Avenue Torrance, California 90505 USA Tel: +1.310.326.4700 x 1462 Fax: +1.310.325.5740 www.pelican.com	

