



FIRE PRODUCTS



STREAMLIGHT®

CONTINUOUS INNOVATION & NEW PRODUCTS

IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



VULCAN CLUTCH®
pg. 4



FIRE VULCAN® LED
pg. 4



VULCAN® 180/HAZ-LO®
pg. 5



SURVIVOR PIVOT® SERIES
pg. 13



SURVIVOR® X SERIES
pg. 14



VANTAGE® 180 X/USB
pg. 16



POLYTAC 90® X/USB
pg. 17



SL-B26® LI-ION BATTERY &
BANK CHARGER pgs. 18-19



MICROSTREAM®
SERIES pg. 25



MACROSTREAM®
USB pg. 25



STINGER® 2020
pg. 26



STINGER LED HL®
pg. 26



STRION® 2020
pg. 26



POLYTAC® X/USB
pg. 28



WAYPOINT®
pg. 32



WAYPOINT® 400
pg. 32



SUPER SIEGE®
pg. 33



SIEGE® X USB
pg. 33



THE SIEGE®
pg. 33



WEDGE®
pg. 34



WEDGE® XT
pg. 34



PORTABLE SCENE LIGHT/EXT pgs. 6-7



PORTABLE SCENE LIGHT II pg. 8



E-FLOOD® LITEBOX® / FIREBOX® pg. 9



E-SPOT® LITEBOX® / FIREBOX® pg. 9



HID LITEBOX® pg. 10



VANTAGE® II pg. 20



VANTAGE® pg. 21



POLYTAC® HELMET LIGHTING KIT pg. 22



4AA PROPOLYMER® LUX® pg. 23



POCKET MATE® USB pg. 24



STYLUS PRO® SERIES pg. 25



PROTAC® HL-X/USB pg. 28



PROTAC® 90 X pg. 28



PROTAC® 2.0 pg. 26



SL-B50® BATTERY pg. 29



DUALIE® 2AA pg. 30



DUALIE® 3AA pg. 30



DUALIE® RECHARGEABLE pg. 31



BEARTRAP® 360 pg. 35



SPEEDLOCKER® pg. 35



PROTAC® 2.0 HEADLAMP pg. 36



ENDURO® PRO HAZ-LO® pg. 36



BANDIT® PRO pg. 36



ENDURO® PRO pg. 36

VULCAN CLUTCH®

The Vulcan Clutch hand lantern features a unique handle that opens to allow instant hands-free use. The head then fully articulates for the direct targeting of work allowing you to illuminate your path so you can navigate to your destination safely and efficiently. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IPX7-rated; dust-tight and waterproof to 1m for 30 minutes. Uses the same mounting rack as the Vulcan 180.

BATTERY: Lithium-ion Rechargeable

SIZE: 9.39 in. (23.85 cm)

WEIGHT: 2.84 lbs. (1.288kg)

COLOR: Yellow or Orange

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

	HIGH	LOW
LUMENS:	1,700	380
CANDELA:	67,500	15,000
DISTANCE:	520m	245m
RUN TIME:	6.5h	18h

FLASH RUNS 25 HOURS



ITEM #	DESCRIPTION
44361	Vulcan Clutch - 120V/100V AC/12V DC - Includes quick release shoulder strap - Orange
44365	Vulcan Clutch - Vehicle Mount System - 12V DC - Includes quick release shoulder strap - Orange
44360	Vulcan Clutch - Light Only - Includes quick release shoulder strap - Orange
44371	Vulcan Clutch - 120V/100V AC/12V DC - Includes heavy duty shoulder strap - Yellow
44375	Vulcan Clutch - Vehicle Mount System - 12V DC - Includes heavy duty shoulder strap - Yellow
44370	Vulcan Clutch - Light Only - Includes heavy duty shoulder strap - Yellow



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7-rated; waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.



Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III, T-Code: T4

	HIGH	LOW
LUMENS:	180	80
CANDELA:	100,000	45,000
RUN TIME:	5h	10h

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ITEM #	DESCRIPTION
44450	Fire Vulcan LED - Standard System - 120V/100V AC/12V DC - Includes shoulder strap & rack
44451	Fire Vulcan LED - Vehicle Mount System - 12V DC - Includes direct wire rack, shoulder strap
44454	Fire Vulcan LED (Without Charger)

BATTERY: Lithium-ion
SIZE: 7.5 in. (19.05 cm)
WEIGHT: 1.85 lbs. (839g)
COLOR: Orange



VULCAN® 180 HAZ-LO® // VULCAN® 180

The multi-function Vulcan 180 series features a 180° articulating head to aim the beam for scene lighting.

The Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform.

Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke.

- BATTERY:** Lithium-ion
- SIZE:** 7.43 in. (18.8 cm)
- WEIGHT:** 2.45 lbs. (1.11kg)
- COLOR:** Orange

HAZ-LO DIV 1 MODEL:

	HIGH	LOW
LUMENS:	400	130
CANDELA:	25,000	8,000
DISTANCE:	316m	179m
RUN TIME:	10h	24h



SGS
US
Class I, II, III, Div 1,
Grps. A, B, C, D, E, F, G
Class I, Zone O, Group IIC;
Class III, T-Code: T4

IP65-rated; dust-tight and water-resistant

DIV 2 MODEL:

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h




Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III, T-Code: T4

IP64-rated; dust-tight and water-resistant



NFPA
Charging rack meets requirements of NFPA 1900-11.1.1.2 (2024) mounted in any position



HAZ-LO DIV 1 MODEL:

ITEM #	DESCRIPTION
44331	Vulcan 180 HAZ-LO - Standard System - 120V/100V AC/12V DC - Includes quick release strap
44335	Vulcan 180 HAZ-LO - Vehicle Mount System - 12V DC - Includes quick release strap

DIV 2 MODEL:

ITEM #	DESCRIPTION
44311	Vulcan 180 [Div. 2] - Standard System - 120V/100V AC/12V DC - Includes quick release strap
44315	Vulcan 180 [Div. 2] - Vehicle Mount System - 12V DC - Includes quick release strap

PORTABLE SCENE LIGHT

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels. It comes in two modes: **Portable Scene Light** - features a telescoping pole that extends to 72" (182.88 cm) and **Portable Scene Light EXT** - features a longer telescoping pole that extends to 84" (213.36 cm).

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.



PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord
SIZE: 22.5 in. (57.2 cm)
WEIGHT: 25 lbs. (11.3kg)
COLOR: Yellow



PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord
SIZE: 25.5 in. (64.8 cm)
WEIGHT: 25.5 lbs. (11.6kg)
COLOR: Yellow



ITEM #	DESCRIPTION
45670	Portable Scene Light - 120V AC/12V DC - Includes AC/DC charge cords and heavy duty shoulder strap
45680	Portable Scene Light EXT - 120V AC/12V DC - Includes AC/DC charge cords and heavy duty shoulder strap



Extends to full height with the stabilization legs fully deployed and locked in less than 30 seconds

Portable Scene Light EXT: pole extends to 84" (213.36 cm)

Portable Scene Light: pole extends to 72" (182.88 cm)



Special Features:

- Full deployment in 30 seconds
- Designed to resist 40 mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67-rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces

Balanced design; lead acid batteries provide ballast and stability



10000
LUMENS

Use a single unit or stack for multi-level lighting



Hang over doors, guard rails, fences, etc.



PORTABLE SCENE LIGHT II

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc.

The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

BATTERY: Lithium-ion
SIZE: 16 in. (40.6 cm)
WEIGHT: 15.56 lbs. (7.06kg)
COLOR: Red

ITEM #	DESCRIPTION
46000	Portable Scene Light II -120V AC/12V DC - Includes AC/DC charge cords

E-FLOOD® LITEBOX® // E-FLOOD® FIREBOX®

NEW

The E-Flood series produces diffused light over an entire area using four LEDs within shallow reflectors for a widened beam pattern; an articulating head allows you to aim light right where it is needed. Its large push-button switch is easy to use with heavy gloves and features a battery status indicator. A large grip area makes for easy hand-offs. Includes heavy duty shoulder strap.

	HIGH	LOW
LUMENS:	1,500	350
CANDELA:	4,700	1,000
DISTANCE:	137m	63m
RUN TIME:	7.5h	17.75h



NFPA Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
E-FLOOD LITEBOX		
45801	45821	E-Flood LiteBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45805	45825	E-Flood LiteBox Vehicle Mount System - 12V DC - Includes shoulder strap
45807	--	E-Flood LiteBox Power Failure System - 120V AC/12V DC - Includes mounting rack <i>Features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.</i>
45806	45826	E-Flood LiteBox (Without Charger)
E-FLOOD FIREBOX (DUAL REAR LEDS)		
45811	--	E-Flood FireBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45815	--	E-Flood FireBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45832	--	E-Flood FireBox (Without Charger)

BATTERY: Zero-maintenance sealed lead acid
SIZE: 11.2 in. (28.4 cm)
WEIGHT: 3.1 lbs. (1389g)
COLOR: Orange or Yellow

E-SPOT® LITEBOX® // E-SPOT® FIREBOX®

NEW

E-Spot series produces a long range, focused beam pattern using four LEDs within deep parabolic reflectors to spotlight an area with focused bright light. It features a swivel head that makes it easy to inspect high bays, ceilings, and out-of-the-way places. Its large push-button switch is easy to use with heavy gloves and features a battery status indicator. A large grip area makes for easy hand-offs. Includes heavy duty shoulder strap.

	HIGH	LOW
LUMENS:	1,500	350
CANDELA:	110,000	25,000
DISTANCE:	663m	316m
RUN TIME:	7.5h	17.75h



NFPA Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
E-SPOT LITEBOX		
45851	45871	E-Spot LiteBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45855	45875	E-Spot LiteBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45857	---	E-Spot LiteBox Power Failure System - 120V AC/12V DC - Includes mounting rack <i>Features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.</i>
45856	45866	E-Spot LiteBox (Without Charger)
E-SPOT FIREBOX (DUAL REAR LEDS)		
45861	--	E-Spot FireBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45865	--	E-Spot FireBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45882	--	E-Spot FireBox (Without Charger)

BATTERY: Zero-maintenance sealed lead acid
SIZE: 11.2 in. (28.4 cm)
WEIGHT: 3.1 lbs. (1389g)
COLOR: Orange or Yellow



Special Features:

- Flat side allows light to tilt and stand on its own
- Multi-fuction, push button switch with battery status indicator
- Dual rear LEDs FIREBOXES ONLY
- IPX4-rated; water-resistant; 1m impact resistance tested
- Recharges in 5 hours

H.I.D. LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. It features a 35W, high intensity xenon lamp and a 90° swivel head. Intense brightness and amazing 1-mile reach make this the ideal hand-held lantern when you need to inspect an entire area quickly and efficiently.

BATTERY: Zero-maintenance 12V lead acid
SIZE: 14.9 in. (38 cm)
WEIGHT: 10.1 lbs. (4.6kg)
COLOR: Orange or Black

LUMENS:	3,350
CANDELA:	1,000,000
RUN TIME:	1.75h



NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	BLACK	DESCRIPTION
45601	45621	H.I.D. Litebox - Standard System - 120V/100V AC/12V DC - Includes 10 ft (3m) 12V DC cord, shoulder strap, flood lens
45605	45625	H.I.D. Litebox - Vehicle Mount System - 12V DC - Includes direct wire rack, 10 ft (3m) 12V DC cord, shoulder strap, flood lens
45600	45620	H.I.D. Litebox (Without Charger) - Includes 10 ft (3m) 12V DC cord, shoulder strap, flood lens






10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide indefinite run time

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the power cord

RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
H.I.D. Bulb Kit 	45637	H.I.D. LiteBox
Flood Lens 	45657	H.I.D. LiteBox
IR Filter 	45654	H.I.D. LiteBox
E-Spot Upgrade Kit 	45845	E-Spot LiteBox/FireBox
E-Flood Upgrade Kit 	45842	E-Flood LiteBox/FireBox
Quick Release Strap 	44050	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
Heavy Duty Strap 	45232	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
Heavy Duty Strap with Carabiner Lock 	45677	Portable Scene Light

RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY		PART #	GOES WITH
Standard Mounting Rack—Orange Vehicle Mounting Rack—Orange		45070 45071	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, H.I.D. LiteBox
Vehicle Mounting Rack—Yellow		45074	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox
Standard Mounting Rack—Black Vehicle Mounting Rack—Black		45075 45076	H.I.D. LiteBox
Standard Charge Rack - Black Vehicle Mounting Rack - Black		44103 44132	Fire Vulcan LED
Standard Rack - Black Direct Wire 12V DC Rack Kit - Black		44350 44306	Vulcan 180, Vulcan Clutch
12V DC (Car Socket) Charge Cord		22051	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, H.I.D. LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
12V DC Charge Cord		22050	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, H.I.D. LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
12V DC Charge Cord (10 ft/3m)		22056	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II, H.I.D. LiteBox
120V AC Charge Cord		22060	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
120V AC Charge Cord		22085	H.I.D. LiteBox
Power Supply 120V AC Charge Cord		22083 22074	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
Battery (Sealed Lead Acid)		45630	Portable Scene Light, Portable Scene Light EXT, H.I.D. LiteBox
Battery (Sealed Lead Acid)		45937	E-Flood LiteBox, E-Spot LiteBox - (original version)
Battery (Lithium-Ion)		44366	Vulcan Clutch
Battery (Lithium-Ion)		45938	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox - (Upgrades)
Battery (Lithium-Ion)		44610	Fire Vulcan LED
Battery (Lithium-Ion)		44351	Vulcan 180
Battery (Lithium-Ion)		44352	Vulcan 180 HAZ-LO
Battery (Lithium-Ion)		46005	Portable Scene Light II



INTRODUCING THE **NEW**

**DUAL BEAM, 90-DEGREE ARTICULATING HEAD
SURVIVOR PIVOT® AND SURVIVOR PIVOT® USB**



SURVIVOR PIVOT® USB **NEW**

The multi-function Survivor Pivot USB provides budget-friendly rechargeability combined with a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. It uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Class I, Div. 2 safety-rated.



NFPA
Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, II, Div. 2, Grps. A, B, C, D, F, G; Class III, T-Code: T4

SURVIVOR PIVOT® **NEW**

The multi-function, Survivor Pivot features a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.



NFPA
Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G; Class III, T-Code: T3/T4

	COMBO		SPOT		FLOOD	
	HIGH	LOW	HIGH	LOW	HIGH	LOW
LUMENS:	325	80	300	70	300	70
CANDELA:	19,000	5,000	34,000	8,500	300	75
DISTANCE:	267m	141m	369m	184m	35m	17m
RUN TIME (ALK):	4.5h	12h	5.5h	15h	5.5h	15h
RUN TIME (LI-ION/SL-B26):	3.75h	13h	4.25h	16h	4.25h	16h



Battery status indicator in switch:
- Green when fully charged
- Red when low voltage
- Flashes red with 15 minutes left on battery



Strong spring-loaded clip securely grabs onto jackets and gear; D-ring provides forward hanging orientation



Optional magnet

USB MULTI-FUEL FLEXIBILITY
POWER UP WITH A STREAMLIGHT SL-B26 PROTECTED LI-ION USB RECHARGEABLE BATTERY PACK, LITHIUM LI-ION BATTERY OR (3) AA ALKALINE BATTERIES

SURVIVOR PIVOT USB

BATTERY: SL-B26 rechargeable battery pack; also accepts (3) AA alkaline
SIZE: 7.93 in. (20.1 cm)
WEIGHT NON-MAGNET: Alkaline - 16.7 oz. (473g) // SL-B26 - 15.8 oz. (448g)
WEIGHT W/MAGNET: Alkaline - 18.1 oz. (513g) // SL-B26 - 17.2 oz. (488g)
COLOR: Orange or Yellow

SURVIVOR PIVOT

BATTERY: Lithium-ion rechargeable battery pack; also accepts (3) AA alkaline
SIZE: 7.93 in. (20.1 cm)
WEIGHT NON-MAGNET: Alkaline - 16.7 oz. (473g) // Li-Ion - 16.2 oz. (459g)
WEIGHT W/MAGNET: Alkaline - 18.1 oz. (513g) // Li-Ion - 17.6 oz. (499g)
COLOR: Orange or Yellow

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE with MAGNET	YELLOW with MAGNET	DESCRIPTION
91804	91814	91838	91839	Survivor Pivot USB - C1D2

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE with MAGNET	YELLOW with MAGNET	DESCRIPTION
91802	91812	91830	91831	Survivor Pivot - 120V AC/12V DC
91800	91810	91825	91826	Survivor Pivot - Alkaline - C1D1

Note: The Survivor® Pivot is not compatible with legacy Survivor® chargers.



SURVIVOR® X USB

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h

FLASH RUNS 8 HOURS

BATTERY: USB rechargeable SL-B26 battery pack; also accepts (3) "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline - 12.8 oz. (363g) // SL-B26 - 11.9 oz. (337g)
COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90044	90244	Survivor X USB - Includes SL-B26 Battery Pack

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



NFPA
 Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

NFPA
 Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, Div. 2, Grps. A, B, C, D, F, G; Class III, T-Code: T4



Strong spring-loaded clip securely grabs onto jackets and gear; D-ring provides forward hanging orientation

SURVIVOR® X

The Survivor X provides added features and increased output. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h

FLASH RUNS 8 HOURS

ORANGE	YELLOW	DESCRIPTION
90952	90962	Survivor X - 120V/100V AC/12V DC
90950	90960	Survivor X - Alkaline

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



Class I, Div. 1, Grps. A, B, C, D, E, F, G; Class III, T-Code: T3/T4

NFPA
 Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

NFPA
 Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

BATTERY: USB rechargeable lithium-ion battery pack; also accepts (3) "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline - 12.8 oz. (363g) // Li-ion - 12.2 oz. (346g)
COLOR: Orange or Yellow

SURVIVOR SERIES ACCESSORIES

DESCRIPTION	SURVIVOR PIVOT	SURVIVOR PIVOT USB	SURVIVOR X	SURVIVOR X USB
5 Unit 120V AC Bank Charger	90910	---	90910	---
5 Unit 12V DC Bank Charger	90912	---	90912	---
Li-Ion Bank Charger		See page 19	---	See page 19
Charge Holder	90345	---	90345	---
Lithium-Ion Battery	90341	---	90341	---
Alkaline/SL-B26 Battery Carrier	90342	90342	90342	90342
SL-B26 Battery Pack	---	22101 - 1pk 22105 - 8pk	---	22101 - 1pk 22105 - 8pk
12V DC1 Charge Cord	22051	---	22051	---
12V DC2 Charge Cord	22050	---	22050	---
120V AC Charge Cord	22060	---	22060	---
40" (101.6 cm) Micro-USB Cord	22070	22070	22070	22070
22" (55.88 cm) Micro-USB Cord	22081	22081	22081	22081
Face Cap (bezel)	---	---	908039	908039

Note: The Survivor® X and Survivor® Pivot are not compatible with legacy Survivor® chargers.



HELMET/RIGHT-ANGLE MULTI-FUNCTION FLASHLIGHT EXTREMELY VERSATILE VANTAGE 180 X



VANTAGE® 180 X USB // VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123A batteries.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7-rated; waterproof.

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME (CR123A):	4h	12h
RUN TIME (SL-B26):	5h	15h



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

NFPA Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

CE Meets applicable European Community Directives



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries
SIZE: 5.2 in. (13.2 cm)
WEIGHT: 5.9 oz. (167g) w/SL-B26 // 5.5 oz. (156g) w/CR123A
COLOR: Orange or Black

ORANGE	BLACK	DESCRIPTION
88911	88913	Vantage 180 X USB - Includes SL-B26 battery pack
88901	88903	Vantage 180 X - Includes lithium batteries



Includes "quick release" helmet bracket and hex key

Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



POLYTAC 90[®] X USB // POLYTAC 90[®] X



**X USB
MULTI-FUEL
FLEXIBILITY**

**POWER UP WITH A STREAMLIGHT
SL-B26 PROTECTED LI-ION USB
RECHARGEABLE BATTERY PACK
OR 2 CR123A LITHIUM BATTERIES**

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand.

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26[®] protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123A batteries.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries

SIZE: 4.43 in. (11.25 cm)

WEIGHT: 4.8 oz. (136g) w/SL-B26 // 4.3 oz. (122g) w/CR123A

COLOR: Orange, Yellow or Black

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123A):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h

Gear Keeper[®] Tether features spectra nylon line with 36" extension and 6 oz. retraction force.



NFPA Meets requirements of NFPA 1971-8.6 (2018)

ORANGE	YELLOW	BLACK	DESCRIPTION
88834	88831	88830	PolyTac 90 X - Includes lithium batteries
88832	--	--	PolyTac 90 X - Includes lithium batteries and Gear Keeper
88838	88836	88835	PolyTac 90 X USB - Includes SL-B26 battery pack
88837	--	--	PolyTac 90 X USB - Includes SL-B26 battery pack & gear keeper

VANTAGE[®] 180 X // POLYTAC 90[®] X ACCESSORIES

ACCESSORY	PART #	GOES WITH
Gear Keeper 	88833	PolyTac 90 X
CR123A Lithium Batteries - 2pk  CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	Vantage 180 X, PolyTac 90 X
SL-B26 Battery Pack - 1pk  SL-B26 Battery Pack - 2pk SL-B26 Battery Pack - 8pk	22101 22102 22105	Vantage 180 X USB, PolyTac 90 X USB
Li-ion Battery Pack Kit - USB  Li-ion Battery Pack Kit - 120V AC	22010 22011	Vantage 180 X USB, PolyTac 90 X USB
Li-ion Bank Charger 	See Page 17	Vantage 180 X USB, PolyTac 90 X USB
Micro-USB Cord - 40" (101 cm)  Micro-USB Cord - 22" (55.88 cm)	22070 22081	Vantage 180 X USB, PolyTac 90 X USB

MULTI-FUEL FLEXIBILITY

A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



SL-B26[®] PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

BATTERY CAPACITY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
BATTERY SIZE: 2.75 in. x 0.744 in. (7 x 1.89 cm)
BATTERY WEIGHT: 1.7 oz. (48g)
CRADLE SIZE: 4.5 in. (11.4 cm)
CRADLE WEIGHT: 2.4 oz. (68g)



Features integrated USB port.
 Charge status LEDs:
Red = charging
Green = charged

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB Rechargeable Battery Pack - 1pk
22105	SL-B26 Li-Ion USB Rechargeable Battery Pack - 8pk
22100	Li-Ion Charge Cradle
22010	Li-Ion Battery Pack Kit - Includes USB cord and (2) SL-B26 battery packs
22011	Li-Ion Battery Pack Kit - 120V AC - Includes (2) SL-B26 battery packs
22070	40 in. (101 cm) USB cord
22081	22 in. (55.88 cm) USB cord



CHARGING



CHARGED

ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1", 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

BANK CHARGER

SIZE: 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm)

WEIGHT: 7.6 oz. (216g) w/batteries // 20.88 oz. (592g) w/o batteries

ITEM #	DESCRIPTION
20221	8-Unit Bank Charger - 120V/100V AC
20220	8-Unit Bank Charger - 12V DC
20224	8-Unit Bank Charger - w/ SL-B26 batteries - 120V/100V AC
20223	8-Unit Bank Charger - w/ SL-B26 batteries - 12V DC
44909	120V AC Cord
44923	12V DC Cord



120V AC Charge Cord



12V DC Charge Cord

RECHARGEABLE LIGHTING SYSTEMS

Stinger 2020
see page 24



Survivor X USB
see page 12



ProTac HL-X USB
see page 26



PolyTac X USB
see page 26



Vantage 180 X USB
see page 14



ProTac 90 X USB
see page 26



Siege X USB
see page 31



TRADITION MEETS INNOVATION

VANTAGE® II. BRIGHTER. LIGHTER. BETTER FOR FIREFIGHTERS.

- 350 LUMENS
- SEE AND BE SEEN IN HEAVY SMOKE
- BLUE TAILLIGHT ENSURES YOU CAN BE SEEN FROM BEHIND
- 45 YEARS OF COMMITMENT TO THE FIRE SERVICE



VANTAGE® II

Lightweight, compact and low profile, the Vantage II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

Attaches securely to your helmet - above or below brim in seconds!



	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h



NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Large push-button switch features blue taillight LED that ensures you can be seen from behind.

ITEM #	DESCRIPTION
69331	Vantage II - [FIRE] Includes CR123A lithium battery
69333	Vantage II - [IND] Includes CR123A lithium battery
69337	Vantage II - for MSA Cairns® 1010/1044 Traditional Fire Helmets with CR123A lithium battery
69334	Bracket Kit - Fire
69336	Bracket Kit - Industrial
69339	Bracket Kit - for MSA Cairns® 1010/1044 Traditional Fire Helmets

All right reserved. Cairns® is a registered trademark of the Cairns Trademark Trust.

BATTERY: (1) CR123A lithium
SIZE WITH INDUSTRIAL MOUNT: 2.37 x 1.16 x 1.54 in. (6.02 x 2.95 x 3.91 cm)
INDUSTRIAL MOUNT WEIGHT: 2.97 oz. (84.2g)
SIZE WITH FIRE MOUNT: 2.37 x 1.16 x 2.18 in. (6.01 x 2.95 x 5.54 cm)
FIRE MOUNT WEIGHT: 3.65 oz. (103.5g)
COLOR: Black

VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright taillight LED so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: (2) CR123A lithium
SIZE: 3.26 in. (8.28 cm)
WEIGHT: 5.14 oz. (145.7g)
COLOR: Black

NFPA
 Flashlight meets 500°F requirements
 of NFPA 1971-8.6 (2018)

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h



Dual direction, easy access on/off switch.

Ultra-bright taillight LED.

ITEM #	DESCRIPTION
69140	Vantage - Includes CR123A lithium batteries





POLYTAC® HELMET LIGHTING KIT

Kit fits both traditional and modern style fire fighting helmets. It provides a low-profile, lightweight and economical alternative for securely mounting a flashlight to almost any style fire helmet. The durable, lightweight, aluminum mount easily attaches to the brim of firefighters' helmets with no tools required. The rubber helmet strap is another easy, "no tools required" method to attach your flashlight to almost any helmet. Made of high-strength rubber. Also fits hard hats.

PolyTac features a rugged housing, extreme brightness and extended run times. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 5.34 in. (13.56 cm)
WEIGHT: 4.2 oz. (121g)
COLOR: Yellow

NFPA
 Meets requirements of
 NFPA 1971-8.6 (2013)



Kit includes PolyTac, CR123A lithium batteries, helmet mount and rubber helmet strap

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,500	4,900	675
DISTANCE:	214m	140m	52m
RUN TIME:	2.75h	5.5h	34h
STROBE RUNS 5.5 HOURS			



TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low
- high only
- low/high

Durable, aluminum helmet mount makes it easy to transition the PolyTac from a helmet mounted light to a handheld lighting tool in seconds



Rubber helmet strap is an easy "no tools required" method to attach your flashlight to your helmet

ITEM #	DESCRIPTION
88854	Helmet Lighting Kit - Includes PolyTac, rubber helmet strap, helmet mount and lithium batteries

4AA PROPOLYMER® LUX®

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1m for 30 minutes. 1m impact-resistance tested. Corrosion-proof.

LUMENS:	200
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	6h



4AA Lux Div. 2



Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III, T3C (142 C)

4AA Lux Div. 1



Class I, Div. 1, Grps. C, D;
Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 1, Grps. F, G;
Class III; Exia; T4

NFPA


Meets requirements of
NFPA 1971-8.6 (2007);
500° heat resistance test



BATTERY: (4) "AA" alkaline
SIZE: 7 in. (17.78 cm)
WEIGHT: 7.6 oz. (216g)
COLOR: Yellow or Black

YELLOW	BLACK	DESCRIPTION
68244	68344	4AA Propolymer LUX Div. 2 with alkaline batteries
68602	68702	4AA Propolymer LUX Div. 1 with alkaline batteries

HELMET LIGHTING ACCESSORIES

ACCESSORY	PART #	GOES WITH
 Helmet Mount	68085	PolyTac, 4AA ProPolymer Lux
 Rubber Helmet Band	99075	PolyTac, 4AA ProPolymer Lux
 CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	PolyTac

ALL-PURPOSE LIGHTING TOOLS

FOR NON-STRUCTURAL FIRE FIGHTING



POCKET MATE® USB

The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4-rated; weather-resistant. Two year warranty.

	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1h

- BATTERY:** Lithium polymer
- SIZE:** 2 in. (5.1 cm)
- WEIGHT:** 0.5 oz. (14.2g)
- COLOR:** Silver or Red



Clip onto brim of hat for hands-free use



ITEM #	DESCRIPTION
73300	Pocket Mate - with USB cord - Box - Silver
73301	Pocket Mate - with USB cord - Box - Red

STYLUS PRO®

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 58 meters.

BATTERY: (2) "AAA" alkaline
SIZE: 5.3 in. (13.4 cm)
WEIGHT: 1.64 oz. (46.9g)
COLOR: Black or Red

MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



The MicroStream is small enough for you to discreetly keep it in your pocket or clip it to your hat for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

BATTERY: (1) "AAA" alkaline
SIZE: 3.6 in. (9.15 cm)
WEIGHT: 1.1 oz. (31.2g)
COLOR: Black or Red



Pocket clip attaches to visor for hands-free use

ITEM #	DESCRIPTION
66118	Stylus Pro - Includes alkaline batteries - Black
66120	Stylus Pro - Includes alkaline batteries - Red
66028	Nylon Holster

ITEM #	DESCRIPTION
66318	MicroStream - Includes alkaline Batteries - Clam - Black
66323	MicroStream - Includes alkaline Batteries - Clam - Red

STYLUS PRO® USB

WHITE LED	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h



You won't want to be without this sleek, compact penlight that USB rechargeable. High and low modes for brighter light or longer run time. Consistent light output throughout battery life. IPX4-rated; water-resistant.

BATTERY: Lithium-ion
SIZE: 5.95 in. (15.1 cm)
WEIGHT: 1.8 oz. (51g)
COLOR: Black

MICROSTREAM® USB

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



This compact lithium-ion battery-powered flashlight is designed for use in all markets. It features a tail cap switch with momentary or constant on operation, high and low beams and a combination pocket/hat clip for convenience. Durable aluminum construction; IPX4-rated; water-resistant.

BATTERY: Lithium-ion
SIZE: 3.87 in. (9.82 cm)
WEIGHT: 1.2 oz. (34.1g)
COLOR: Black or Red



Pocket clip attaches to visor for hands-free use

ITEM #	DESCRIPTION
66133	Stylus Pro - 120V AC - Includes holster
22070	22" USB cord
66029	Nylon Holster

ITEM #	DESCRIPTION
66604	MicroStream USB - USB cord & lanyard - Box - Black
66605	MicroStream USB - USB cord & lanyard - Box - Red

MACROSTREAM® USB

High-powered ultra-compact lithiumion battery-powered flashlight. It fits in the palm of your hand or comfort-ably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

ITEM #	DESCRIPTION
66320	Macrostream USB - Includes USB cord & lanyard - Clam

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,200	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



BATTERY: Lithium-ion
SIZE: 4.5 in. (11.43 cm)
WEIGHT: 2.2 oz. (62.4g)
COLOR: Black



Pocket clip attaches to visor for hands-free use

STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time.

A long-lasting SL-B26 USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once.

IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 7.67 in. (19.48 cm)
WEIGHT: 12.3 oz. (350g)
COLOR: Black

ITEM #	DESCRIPTION
78101	Stinger 2020 - 120V AC/12V DC

TAA COMPLIANT

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS



Uses two SL-B26® protected Li-Ion USB rechargeable battery packs



Mode switch for easy selection of High, Medium or Low

STINGER LED HL®

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4-rated; water-resistant.

BATTERY: NiMH
SIZE: 8.41 in. (21.36 cm)
WEIGHT: 12.4 oz. (352g)
COLOR: Black

ITEM #	DESCRIPTION
75430	Stinger LED HL - 120V AC/12V DC - 2 Holders

STRION® 2020 // NEW

	HIGH	MEDIUM	LOW
LUMENS:	1,200	460	120
CANDELA:	28,000	10,000	3,000
DISTANCE:	335m	200m	110m
RUN TIME:	1.75h	5.5h	12h

STROBE RUNS 3.5 HOURS



The Strion 2020 features independently functioning head and tail switches along with an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting lithium-ion rechargeable battery offers multiple charging options using existing Strion smart chargers and bank chargers. IPX7-rated; waterproof to 1m. Corrosion-resistant sealed glass lens.

BATTERY: Lithium-ion
SIZE: 6.33 in. (16.1 cm)
WEIGHT: 5.7 oz. (161.6g)
COLOR: Black

ITEM #	DESCRIPTION
74431	Strion 2020 - 120V AC/12V DC
74435	Strion 2020 - 120V AC/12V DC - PiggyBack®

STINGER // STRION ACCESSORIES

ACCESSORIES	STINGER 2020	STINGER LED HL	STRION 2020
5-Unit Bank Charger - 120V 	75400	75400	---
6-Unit Bank Charger - 120V 	---	---	74400
Smart Charger 	75105	75105	74102
PiggyBack® Charger (includes NiMH battery) Stinger Series 	---	75277	---
PiggyBack® Charger (battery not included) Strion Series 	---	---	74115
SL-B26 Battery Pack 	78105	---	---
Lithium-ion Battery 	---	75176	---
Lithium-ion Battery 	---	---	74436
NiMH Battery Stick 	---	75375	---
12V DC1 Charge Cord 12V DC2 Charge Cord 	22051 22050	22051 22050	22051 22050
"Y" USB Cord 	22082	---	---
120V AC Charge Cord 	22071	22071	22071
Leather Plain Holster 	---	75133	74059
Nylon Holster 	78107	---	---
Leather Weave Holster 	78114	75134	74060
Nylon Holster 	---	75927	---
Loop Nylon Holster 	---	75928	---
Duty Holster 	---	88053	88051
Ring Holder 	---	75906	---

POLYTAC® X USB // POLYTAC® X

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123A):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h

STROBE RUNS 8 HOURS



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

This 600 lumen tactical light incorporates Multi-Fuel Design that provides you the versatility to use two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 4.4 oz. (139g) w/SL-B26 // 4.9 oz. (125g) w/CR123A
COLOR: Black or Yellow

YELLOW	BLACK	DESCRIPTION
88604	88603	PolyTac X - Includes (2) CR123A lithium batteries & holster
88614	88613	PolyTac X USB - Includes (1) SL-B26 battery pack, USB cord & holster

PROTAC® HL-X USB // PROTAC® HL-X

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123A):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h

STROBE RUNS 2.5 HOURS (CR123A);
3.25 HOURS (SL-B26)



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries



The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 6.2 oz. (176g) w/SL-B26 // 5.47 oz. (162g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88065	ProTac HL-X - Includes (2) CR123A lithium batteries & holster
88085	ProTac HL-X USB - Includes (1) SL-B26 battery pack, USB cord & holster

PROTAC® 90X USB // PROTAC® 90X

The MULTI-FUEL ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 4.39 in. (11.1 cm)
WEIGHT: 4.9 oz. (139g) w/SL-B26 // 4.4 oz. (125g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88094	ProTac 90X - Includes CR123A lithium batteries and holster
88095	ProTac 90X USB - SL-B26 battery pack and holster



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries



	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123A):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h

STROBE RUNS 2.5 HOURS (CR123A);
3.5 HOURS (SL-B26)

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

PROTAC® 2.0

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h

STROBE RUNS 4 HOURS 25 MIN



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low
- high only
- low/medium/high

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by a rechargeable SL-B50® battery pack that charges outside or inside the light using a USB-C cord. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack

SIZE: 6.1 in. (15.49 cm)

WEIGHT: 8.25 oz. (234g)

COLOR: Black



USB-C Cord



Slide sleeve back to access USB-C port.

SL-B50 battery pack charges in 6 hours.

ITEM #	DESCRIPTION
89000	Protac 2.0 - Includes SL-B50 battery pack, USB-C cord & Nylon Holster
22084	22" (55.88 cm) USB-C cord

SL-B50® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The SL-B50 protected Li-Ion rechargeable battery pack is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

BATTERY CAPACITY: 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack

BATTERY SIZE: 3.26 in. x 0.905 in. (8.28 x 2.3 cm)

BATTERY WEIGHT: 3 oz. (85g)



Features integrated USB port.
Charge status LEDs:



CHARGING


CHARGED

USB Rechargeable 4900mAh SL-B50 Lithium-ion Battery - Charges in 6 hours

ITEM #	DESCRIPTION
22111	SL-B50 Li-Ion USB rechargeable battery pack - 1PK
22112	SL-B50 Li-Ion USB rechargeable battery pack - 2PK
22084	22" (55.88 cm) USB-C cord



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.



The Dualie 3AA Laser features a simultaneous spot beam and laser pointer. Illuminates the work area and pinpoints out-of-reach objects.

THE DUALIE® FAMILY OF LIGHTS DIV. 1, INTRINSICALLY SAFE, **DUAL BEAMS,** HANDS-FREE & INCREDIBLY VERSATILE

DUALIE® 2AA

	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



Integrated magnet on tail end for hands-free use.

See what's ahead of you and right at your feet with the intrinsically safe Dualie 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

BATTERY: (2) "AA" alkaline
SIZE: 6.1 in. (15.5 cm)
WEIGHT: 13.9 oz. (111g)
COLOR: Yellow



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G;
Class III: CL I, ZN 0, IIC;
Exia; T-Code: T4

ITEM #	DESCRIPTION
67751	Dualie 2AA - Includes (2) "AA" alkaline batteries

DUALIE® 3AA

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	8m	-
RUN TIME:	18h	18h	9h



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G
Class III, CL I, ZN 0, IIC
T-Code: T4; Exia



Magnetic clip with integrated hang hook for hands-free use.

See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I & II, Div. 1.

BATTERY: (3) "AAA" alkaline or lithium batteries
SIZE: 7 in. (17.78 cm) // 7.5 in. (19.05) w/Magnetic Clip
WEIGHT: 6.8 oz. (193g) // 7.1 oz. (201g) w/ Magnetic Clip
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68751	Dualie 3AA - without batteries - Yellow
68753	Dualie 3AA - without batteries - Black
68782	Dualie 3AA Magnet - with alkaline batteries - Yellow
68783	Dualie 3AA Magnet - with alkaline batteries - Black
68780	Dualie 3AA Magnet - without batteries - Yellow
68781	Dualie 3AA Magnet - without batteries - Black

DUALIE® RECHARGEABLE

See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang-hook for methods of hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div. 1.



Class I, II, Div. I, Grps. A, B, C, D, E, F, G
Class III, CL I, ZN D, IIC
T-Code: T4; Exia

BATTERY: Lithium-ion
SIZE: 7.5 in. (19.05 cm)
WEIGHT: 7.09 oz. (201g)
COLOR: Yellow or Black



	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7h 15m	13h 30m	5h 30m

Rugged, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear.



Features a forward facing spot beam and a downward flood light - use individually or at the same time.




Magnetic clip with integrated hang hook for hands-free use.

WITHOUT MAGNETIC CLIP	WITH MAGNETIC CLIP	DESCRIPTION
68732	68793	120V/100V AC - Yellow
68733	68794	120V/100V AC - Black
68734	68795	12V DC - Yellow
68735	68796	12V DC - Black
68730	68785	Light only - Yellow
68731	68786	Light only - Black


DUALIE ACCESSORIES

ACCESSORY	PART #	GOES WITH
 Helmet Mount	68085	Dualie 3AA, Dualie Rechargeable
 PolyMount Kit	68089	Dualie 2AA, Dualie 3AA, Dualie Rechargeable
 Rubber Helmet Band	99075	Dualie 2AA, Dualie 3AA, Dualie Rechargeable
 Charger	68790	Dualie Rechargeable
 Bank Charger	68789	Dualie Rechargeable
 120V USB Charge Cord	22071	Dualie Rechargeable
 22" (55.88 cm) USB Cord	22081	Dualie Rechargeable

WAYPOINT® 400



400,000 cd



1,265m

	HIGH	MEDIUM	LOW
LUMENS:	1400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h

The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium-ion
SIZE: 6.75 in. (17.14 cm)
WEIGHT: 1.52 lbs. (691g)
COLOR: Yellow or Black

WAYPOINT®

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME
 EMERGENCY SIGNAL: RUNS 82 HOURS



Integrated stand for hands-free lighting

Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4-rated; water-resistant.

BATTERY: (4) "C" batteries (not included)
SIZE: 6.75 in. (17.15 cm)
WEIGHT: 1 lb. 12.8 oz. (816g)
COLOR: Yellow



Includes 120V AC Charge Cord

Optional 12V DC Charge Cord



Polymer storage mount (included)



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)

ITEM #	DESCRIPTION
44910	Waypoint 400 - 120V/100V AC - Box - Yellow
44911	Waypoint 400 - 120V/100V AC - Box - Black
44918	Polymer Storage Mount
44909	120V AC Charge Cord
44923	12V DC Cord

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC Power Cord - Box - Yellow
44902	Waypoint - Includes 12V DC Power Cord - Box - Black
44904	Waypoint - Includes 12V DC Power Cord - Clam - Yellow
44905	Waypoint - Includes 12V DC Power Cord - Clam - Black
44908	Polymer Storage Mount
44903	12V DC Power Cord - 62.5 inches (158 cm)*

*12V DC power cord does not charge batteries

SIEGE® X USB

The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7-rated; waterproof.

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4.5h	7.75h	25h

RED	HIGH	SOS
LUMENS:	1.6	1.6
RUN TIME:	22h	90h

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000	900
DISTANCE:	155m	60m
RUN TIME:	3.5h	25h



Incorporated flashlight produces 300 lumens



MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries

BATTERY: SL-B26 Li-ion USB Rechargeable lithium-ion battery or (2) CR123A lithium batteries
SIZE: 4.35 in. (11.05 cm)
WEIGHT: 7.2 oz. (204.12g)
COLOR: Coyote

ITEM #	DESCRIPTION
44956	Siege X USB - Includes (1) SL-B26 battery pack

SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium-ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from half the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7-rated; waterproof to 1m. It floats.

BATTERY: Rechargeable lithium-ion battery
SIZE: 7.5 in. (19.05 cm)
WEIGHT: 1 lb. 14 oz. (867g)
COLOR: Coyote or Yellow

ITEM #	DESCRIPTION
44947	Super Siege - 120V AC - Coyote
44945	Super Siege - 120V AC - Yellow
44909	120V AC Charge Cord
44950	Glare Guard™
44951	Magnetic Base - Black



THE SIEGE®

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h

RED	HIGH	SOS
LUMENS:	10	10
RUN TIME:	235h	430h

With **[(RED SOS)]**
 Hold on/off button to activate.



The Siege is brighter, more durable, and much more versatile than other emergency lanterns. It runs for over 30 hours on high and over 12 days on low. Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

Magnetic
Accessory Base



Features rugged carry handle and
D-rings for hanging



BATTERY: (3) "D" batteries
SIZE: 7.25 in. (18.42 cm)
WEIGHT: 1 lb. 15 oz. (878.83g)
COLOR: Coyote

ITEM #	DESCRIPTION
44931	The Siege
44950	Glare Guard™
44952	Magnetic Base - Black

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	38.25h

RED	HIGH	SOS	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h

With **[(RED SOS)]**
 Hold on/off button to activate.



A small dry storage area is provided in the lights base for all your "keep dry" needs

Rechargeable lithium-ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port

WEDGE® XT **NEW**

The Wedge XT is an ultra-compact, high-performance EDC light engineered with a push-button tail switch for effortless, one-handed operation. Five-Tap™ Lockout system prevents accidental activation inside your pocket or bag. Rugged, anodized aluminum construction, with a waterproof USB-C port that features a battery/charge status indicator. IPX7-rated; waterproof to 1m.

BATTERY: Lithium Polymer
SIZE: 4.25 in. (10.8 cm)
WEIGHT: 2.62 oz. (74.3g)
COLOR: Black or Coyote

TEN-TAP® Programmable - choose from two programs:
 • high/low
 • low/high

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C Cord, pocket lanyard - Black
88813	Wedge XT - Includes USB-C Cord, pocket lanyard - Coyote
22084	USB-C Cord - 22" (58.8 cm)



Charge indication LED:

Red – Charging;
 Green – Charged

Lithium-ion battery charges in 6 hours

WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

BATTERY: Lithium Polymer
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 3.3 oz. (93.5g)
COLOR: Black or Coyote

	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h



1000
 LUMENS



ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord and lanyard - Black
88811	Wedge - Includes USB-C cord and lanyard - Coyote



Battery charge indicator located in the on/off switch.

Charge indication:
 Red – Charging // Green – Charged

SPEEDLOCKER®

NEW

The SpeedLocker is a portable, locking storage container that provides you with swift and direct access. Mechanical keypad with one-handed entry keeps your personal items secure at home or at work. Rugged, water-resistant construction with convenient carry handle is designed for travel making it an ideal companion wherever you go.



Air travel suitable with supplied padlock

Patented mechanical keypad with 31 user selectable combinations - requires no batteries



ITEM #	DESCRIPTION
59000	SpeedLocker - Includes 3 ft. (91.44 cm) security cable, padlock and Allen key
59001	Padlock with 3 keys
59002	3 ft. (91.44 cm) Security Cable

The SpeedLocker® is not an approved firearm safe. It is the user responsibility to determine the suitability to the specific situation and need.

EXTERNAL: 12.4 x 8.2 x 2.8 in. (30.5 x 20.8 x 7.1 cm)
INTERNAL: 8 x 7.1 in. (20.3 x 18 cm)
WEIGHT: 2.6 lbs. (1.2kg)
COLOR: Black

BEARTRAP® 360

NEW

Inspect, identify and repair with the multi-function BearTrap 360 work light featuring a 360° rotating and 270° pivoting body. It produces bright white light in both spot and flood modes. Flood fills your work area with evenly dispersed, bright light; Spot provides a concentrated beam - each with high, medium and low modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-reach spaces like under the dash; also features a magnetic base and stowable hook. Rubberized grip surface designed to prevent scratches.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact resistance tested.



BATTERY: Lithium-ion
SIZE: 7.62 in. (19.37 cm)
WEIGHT: 2 lbs. 5 oz. (1049g)
COLOR: Red




ITEM #	DESCRIPTION
61523	BearTrap 360 - 120V/100V AC
44922	120V AC cord
44923	12V DC cord
61522	Lithium-ion Battery - BearTrap

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	360
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h
SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h



STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and run time ensure you'll be able to find exactly the light you need.

<p>SPOT / FLOOD MODELS</p> <p>KEY ATTRIBUTES: Multi-Function Task Lighting General Use Multi-Purpose</p> 	<p>RECHARGEABLE</p> <p>USB HAZ-LO Headlamp Twin-Task USB Headlamp Enduro Pro USB Double Clutch USB*</p>	<p>NON - RECHARGEABLE</p> <p>Enduro Pro HAZ-LO Trident - Div. 2 Double Clutch Alkaline* Enduro Pro</p>	
	<p>FLOOD MODELS</p> <p>KEY ATTRIBUTES: Arm's Length Task Lighting Wide, Smooth Light</p> 	<p>RECHARGEABLE</p> <p>Bandit Pro ProTac 2.0 Bandit* ProTac HL USB Headlamp*</p>	<p>NON - RECHARGEABLE</p> <p>Septor - Div. 2 ProTac HL Headlamp</p>
	<p>SPOT MODELS</p> <p>KEY ATTRIBUTES: Down Range Long Distance</p> 	<p>RECHARGEABLE</p> <p>QB*</p>	<p>NON - RECHARGEABLE</p> <p>Vantage II 3AA HAZ-LO Headlamp Enduro Argo*</p>

*VISIT STREAMLIGHT.COM FOR MORE INFORMATION

PROTAC® 2.0 HEADLAMP // NEW

When your task requires extreme bright light, reach for the ProTac 2.0 Headlamp. With 2000 lumens, it produces double the output without sacrificing run time. Choose from high, medium or low using Streamlight's Ten-Tap® Programmable switch. You can use the rubber hard hat strap or adjustable elastic head strap.

BATTERY: SL-B50 Li-Ion USB rechargeable battery pack

WEIGHT: 10.48 oz. (297g)

COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h

TEN-TAP® Programmable - choose from three programs:

- high/med/low
- high only
- low/high



Charges directly in the flashlight via USB-C cord

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps - Box

ENDURO® PRO HAZ-LO®



This LOW-PROFILE HEADLAMP has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IPX7-rated; waterproof.

BATTERY: (3) "AAA" alkaline batteries (included)
WEIGHT: 3.5 oz. (99.2g)
COLOR: Yellow



Permissible Flashlight.
 Approval No. 20-A190001-0.
 Tested for Intrinsic Safety in Methane-Air mixtures only.

	SPOT	FLOOD	COMBO
LUMENS:	160	160	235
CANDELA:	1,320	100	-
DISTANCE:	73m	20m	-
RUN TIME:	5h	5h	4.75h



Two hardhat mounting options:
 Rubber strap



3M® Dual Lock® for strapless mounting



SGS
 Class I, Div. 1,
 Grps. A, B, C, D, E, F, G
 Class III, Class I, Zone 0,
 Group IIC Exia; T4

ITEM #	DESCRIPTION
61424	Enduro Pro HAZ-LO - Includes alkaline batteries, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®

BANDIT® PRO

	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		



Multi-function push-button switch with charge indicator - shines red when charging, green when charged

The Bandit Pro is an ultra-lightweight, weather-resistant headlamp featuring a large, easy-to-use push button and a rechargeable lithium polymer battery. It includes a handy snap-in clip adaptor to attach it to your pocket. It can also be clipped to your hat/visor with additional downward adjustability. High, low and emergency flash modes.

Two hardhat mounting options:
 Rubber strap



3M® Dual Lock® for strapless mounting



BATTERY: Rechargeable lithium polymer
WEIGHT: 1.6 oz. (45.4g)
COLOR: Yellow

ITEM #	DESCRIPTION
61716	Bandit Pro - Includes Micro-USB cord, rubber hard hat strap and 3M Dual Lock® Fasteners
61437	Hard hat clips for 1" straps



ENDURO® PRO

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

This low-profile headlamp features multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4-rated; water-resistant.

Two hardhat mounting options:
 Rubber strap



3M® Dual Lock® for strapless mounting



BATTERY: (3) "AAA" alkaline batteries (included) or lithium
WEIGHT: 3.4 oz. (99.2g)
COLOR: Yellow

ITEM #	DESCRIPTION
61422	Enduro Pro HAZ-LO - Includes alkaline batteries, rubber hard hat strap and 3M® Dual Lock® - Box
61437	Hard hat clips for 1" straps





Distributed by:

Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A 19403-3996

streamlight.com // streamlightgear.com
(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax